

STRIPS' and SUPPORTS'

WHATEVER THE WIDTH
OF THE
PLANNING STRIPS
VARIETY OF COMBINATIONS
EASY MOUNTING
WITHOUT TOOLS
WITHOUT SCREWS
WITHOUT NAILS
IN A FEW MINUTES



VAL'REX

Make
✓

PLANNINGS'

★ SIMPLE ★ CLEAR ★ LOW COST

CARDS:

In the form of a T, their shoulders lay on the edges of the strip slots. Therefore, the top part, with an invariable height of 5/8", whatever the model, is always visible.

The cards come in 12 colors—green, red brown, orange, yellow, red, white, light brown, grey, dark blue, light blue, purple and pink.

4 DIMENSIONS

Reference	No.	1	2	3	4
A		5/8"	5/8"	5/8"	5/8"
B		1 1/8	2 5/16	3 5/8	4 7/8
C		1 15/16	3 5/16	4 11/16	7 1/16
D		5/8	1 7/8	3 1/8	4 3/8
For Strip Index		30049	30050	30051	30052

STRIPS:

Steel extrusions perforated with slots at equal distances in order to receive T cards.

Each size of card requires a different width of strip with 30, 40 or 50 slots.

For each width of strip, whatever the number of slots, is given a conventional INDEX needed to establish the possible combination in a same support.

Card Ref.	Strip Index	No. of Slots	Strip Ref.	Height H	Width W	Weight App. Oz.
30049	1	30	30539	26"	1 1/4"	3.8
		40	30549	32"		4.7
		50	30559	37 3/4"		5.8
30050	2	30	30530	26"	2.5"	6.3
		40	30540	32"		7.5
		50	30550	37 3/4"		9.5
30051	3	30	30531	26"	3 3/4"	8.6
		40	30541	32"		10.2
		50	30551	37 3/4"		12.6
30052	4	30	30532	26"	5"	11.8
		40	30542	32"		13.6
		50	30552	37 3/4"		16.0

The base T of all strips has a constant height of 6 11/16".

SUPPORTS:

Metallic elements, the profile of which has been especially studied to override the raises provided at both ends of the strips, and to form with them rigid panels.

A label holder—3/4" wide—is provided all along the support, to permit titles, sub-dividing, etc.

5 different lengths will permit a basic assembly, as indicated in the chart below:

Support Ref.	Index	L App.	L	C	Weight (Pr.) Oz.	Basic Assembly
30569	5	6 3/8"	1 3/16"	5/8"	8.8	5 Strips—Index 1
30570	10	12 3/4"	1 3/16"	5/8"	14.8	5 Strips—Index 2
30571	15	19"	1 3/16"	5/8"	21.5	5 Strips—Index 3
30572	20	25 1/2"	1 3/16"	5/8"	28.5	5 Strips—Index 4
30573	12	15 1/4"	1 3/16"	5/8"	17.6	6 Strips—Index 2

Planning



WHATEVER THE WIDTH
OF THE
PLANNING STRIPS
VARIETY OF COMBINATIONS
EASY MOUNTING
WITHOUT TOOLS
WITHOUT SCREWS
WITHOUT NAILS
IN A FEW MINUTES

COMBINATIONS

THE WIDTH OF THE STRIPS AND THE LENGTH OF THE SUPPORTS HAVE BEEN DESIGNED IN SUCH A WAY THAT ANY SUPPORT MAY ACCOMMODATE A VARIED COMBINATION OF DIFFERENT WIDTHS OF STRIPS, PROVIDING THAT:

The sum of the strip indexes equals the index of the corresponding support:

EXAMPLES:

A. BASIC COMBINATION			
5 STRIPS INDEX 3	EQUALS	15	
FOR A SUPPORT INDEX		15	
B. VARIED SET UP			
1 STRIP INDEX 4	EQUALS	4	
1 STRIP INDEX 1	"	1	
3 STRIP INDEX 2	"	6	
3 STRIP INDEX 3	"	9	
		—	
TOTAL		20	
FOR A SUPPORT INDEX		20	

THE OVERALL DIMENSIONS OF A PLANNING BOARD VAL-REX IS GIVEN BY THE HEIGHT OF THE STRIPS AND THE LENGTH OF THE SUPPORT.



VAL-REX

MANY APPLICATIONS - AT - LOW COST

Of low cost use, VAL-REX planning requires no specialized personnel.

FILING BY AUTHOR

On the Visible Part:

Front—Title

Back—Name of Author

**On the
Body of the Card:**

Date and Purchase Price.

Successive Locations (Rentability)

Reader's Name and
Out Date (Pencil)

[illegible]

Sub-Titles by Authors:

Limited Works Set Up:

IMMEDIATE
CONTROL
QUICK
INFORMATION

OUT OF CONTROL—BOOK RENTAL SERVICE

Cards Indicate:

Order Number

Name and Address
of Customer

Detail of Order

Signalization of

Order Progress:

IDENTIFICATION OF ORDER		PACKAGING	STATISTICS— STOCK CONTROL	SHIPPING	INVOICING	FILING	BACK ORDER	OBSERVATIONS
No. 101 RIMGO	ATLANTA							
No. 102 AMER MKT	COLUMBIA							
No. 103 SOW AIR	OKL CITY							
No. 104 LONDON S.	DETROIT							
No. 105 IND DESIGN	CAMPEN							
No. 106 BAR TWEEB	MIAMI							
No. 107 NEWMAN ELAC	PHENIX							
No. 108 RAB ORGN	DENVER							
No. 109 FORD RECORDS	CLEVELAND							
No. 110 WRIGHT-PAUL	TAMPA							
No. 111 JOHN HOMB	RICHMOND							
No. 112 RNS	AKRON							
No. 113 GUERRY IND	NVC							
No. 114 ADAMS MILLS	CHICAGO							
No. 115 MAXWELL Mfg.	BALTIMORE							
No. 116 USSERY IMPORTS	LA							
No. 117 BRC-ALL	SEATTLE							

Out of Stock:
New Stock on 7/10

To Complete no Later
Than 7/30

Must Deliver 7/15
Claim of 6/25

- To See Clearly
- To Accelerate Work
- To Respect Delays
- To Satisfy Customers

ORDER/DELIVERY CONTROL ON STOCK ITEMS . . .

Perpetual Inventory on Card Indication of Minimum Stocks

Name and Address of Supplier—
for Each Article

Purchase Information

Name of Alternate Suppliers

Number and Date of Orders

Quantity to Receive

STOCK	SUPPLIERS	DUE ORDERS	DELAY	FOLLOW UP	OBSERVATION
REF. 1000					
REF. 1001					
REF. 1002					
REF. 1003					
REF. 1004					
REF. 1005					
REF. 1006					
REF. 1007					
REF. 1008					
REF. 1009					
REF. 1010					
REF. 1011					
REF. 1012					
REF. 1013					
REF. 1014					
REF. 1015					
REF. 1016					
REF. 1017					
REF. 1018					
REF. 1019					
REF. 1020					
REF. 1021					
REF. 1022					
REF. 1023					
REF. 1024					
REF. 1025					
REF. 1026					
REF. 1027					
REF. 1028					
REF. 1029					
REF. 1030					
REF. 1031					
REF. 1032					
REF. 1033					
REF. 1034					
REF. 1035					
REF. 1036					
REF. 1037					
REF. 1038					
REF. 1039					
REF. 1040					
REF. 1041					
REF. 1042					
REF. 1043					
REF. 1044					
REF. 1045					
REF. 1046					
REF. 1047					
REF. 1048					
REF. 1049					
REF. 1050					
REF. 1051					
REF. 1052					
REF. 1053					
REF. 1054					
REF. 1055					
REF. 1056					
REF. 1057					
REF. 1058					
REF. 1059					
REF. 1060					
REF. 1061					
REF. 1062					
REF. 1063					
REF. 1064					
REF. 1065					
REF. 1066					
REF. 1067					
REF. 1068					
REF. 1069					
REF. 1070					
REF. 1071					
REF. 1072					
REF. 1073					
REF. 1074					
REF. 1075					
REF. 1076					
REF. 1077					
REF. 1078					
REF. 1079					
REF. 1080					
REF. 1081					
REF. 1082					
REF. 1083					
REF. 1084					
REF. 1085					
REF. 1086					
REF. 1087					
REF. 1088					
REF. 1089					
REF. 1090					
REF. 1091					
REF. 1092					
REF. 1093					
REF. 1094					
REF. 1095					
REF. 1096					
REF. 1097					
REF. 1098					
REF. 1099					
REF. 1100					

Plan Order for 3/31

Check to Address
15 Days Prior Limit Date.

Regular Supplies
—
Minimum
Requirements, etc. . . .

STOCK AND SUPPLY CONTROL

Whatever may be your activity
Planning **VAL-REX**
 will increase your efficiency
 your profit...

WRITE . . .

Robert P. Gillette Co., Inc.

IMPORT — EXPORT

DISTRIBUTION — REPRESENTATION

POST OFFICE BOX 1408

COLUMBIA, SOUTH CAROLINA

TELEPHONE ALPINE 2-0908

VAL-REX PLANNING

PRICE LIST

June 15, 1965

Sales Price, f.o.b. Columbia, S. C., less Dealer's discount.

PLANNING ELEMENT.

Index 1
Ref. 30539 - 30 slots \$1.62 each
Ref. 30549 - 40 slots \$2.02 each
Ref. 30559 - 50 slots \$2.22 each

Index 2
Ref. 30530 - 30 slots \$2.28 each
Ref. 30540 - 40 slots \$2.80 each
Ref. 30550 - 50 slots \$3.22 each

Index 3
Ref. 30531 - 30 slots \$2.83 each
Ref. 30541 - 40 slots \$3.06 each
Ref. 30551 - 50 slots \$3.89 each

Index 4
Ref. 30532 - 30 slots \$3.44 each
Ref. 30542 - 40 slots \$4.06 each
Ref. 30552 - 50 slots \$4.50 each

SUPPORTS for PLANNING.

Ref. 30569 - Index 5 \$3.00 Set of 2
Ref. 30570 - Index 10 \$3.80 Set of 2
Ref. 30571 - Index 15 \$4.75 Set of 2
Ref. 30572 - Index 20 \$5.42 Set of 2
Ref. 30573 - Index 12 \$4.40 Set of 2
Ref. 30574 - Index 24 \$8.22 Set of 2

FIXTURES for SWINGING PANEL ASSEMBLY.

Ref. 30582 - Mounting Plates for wall stand.....\$25.00 Set of 2
Ref. 30583 - Mounting column for wall stand for 30 slot element.....\$ 4.44 each
Ref. 30584 - Mounting column for wall stand for 40 slot element.....\$ 5.25 each
Ref. 30585 - Mounting column for wall stand for 50 slot element.....\$ 6.04 each
Ref. 30593 - End Cover for panels for 30 slot element.....\$ 1.29 each
Ref. 30594 - End Cover for panels for 40 slot element.....\$ 1.43 each
Ref. 30595 - End Cover for panels for 50 slot element.....\$ 1.60 each
Ref. 30580 - Mounting Parts "Omega" for double-face Panel assembly.....\$ 4.53 Set of 4

PLASTIC=PLANNING.

For T Cards P.M. (small size) - (64 per binding)

Ref. 30700 - Binding Cover.....\$ 4.79 Set of 2
Ref. 30701 - Intermediate Binding.....\$ 2.40 each

For T Cards G.M. (large size) - (30 per binding)

Ref. 30710 - Binding Cover.....\$ 4.79 Set of 2
Ref. 30711 - Intermediate Binding.....\$ 2.40 each

T CARDS.

A. For Metallic Planning

Ref. 30049.....\$.91 per 100
Ref. 30050.....\$.97 per 100
Ref. 30051.....\$ 1.50 per 100
Ref. 30052.....\$ 2.00 per 100

B. For Plastic Control Board

Ref. 30055.....\$.90 per 100
Ref. 30056.....\$ 1.40 per 100

PLANNING

HOW IT WORKS

Usually in Scheduling, Planning, Programming, Controlling, a simple word, a number, or a sign, is sufficient to project a thought.

This thought, denoted by a number, word, or sign, is called the DOMINANT, or most important factor.

Most Planning Boards work strictly on these DOMINANT FACTORS.

VAL-REX adds to this DOMINANT FACTOR other important information that usually has to be looked for or researched otherwise, at a great loss of time and money.

To accomplish this, VAL-REX bases its complete Planning around a "T" Card, which sizes are shown here.

These T Cards are available in 10 different colors.

According to the amount of information desired, the choice of one of these T Cards is made, usually the small one being considered as a Signal, or Flag.

There are metal Support Strips to accommodate the various size T Cards. The full body of the Card disappears within the Support Strip, leaving only the DOMINANT FACTOR in sight, to form the Planning.

The progress of the job is indicated by the movement of the DOMINANT FACTOR from one labelled support Strip to another, the number of which is determined by the steps necessary to carry out the job.

The quantity of DOMINANTS (Jobs, Items, etc.) will determine the number of necessary lines and therefore the length of the Strip to be used. These support Strips come in three lengths, with 30, 40, or 50 slots.

T Cards and Strips are standard and are accommodated by standard mounting in such a variety as to impose no limit on Programming possibilities. The only limits in the use of VAL-REX are those of imagination.

Hereafter are a few examples (other than those appearing on the enclosed leaflet). However, Robert P. Gillotte Company is always at your disposition for any suggestions you may desire.

AMONG OTHER SERVICES . . .

A SPARE MEMORY



PLASTIC-PLANNING

VAL-REX

YOU NOTE on T Cards your appointments, business pending, projections or studies to make, trips, clients to visit—in short, everything you cannot carry out immediately.

YOU ORGANIZE your work by sliding these T Cards in the slots of the PLASTIC-PLANNING. Only the top part is visible, where the dominant factor appears.

THE POSITION AND THE COLOR of the T Card give to each and every subject a meaning in space and time.



A SINGLE GLANCE at your PLASTIC-PLANNING reminds you of delays, informs you of urgencies, tells precisely where, when, how and with whom you have things to do.

PLASTIC-PLANNING also makes a visible method for filing of stock, personnel, customer cards, etc.

PLASTIC-PLANNING

PLASTIC-PLANNING is composed of semi-rigid flaps, made with plastic entirely bonded electrically. These flaps have the following characteristics:

- Single size $9\frac{1}{2}" \times 11\frac{3}{4}"$.
- Color: light tan on the outside—dark tan on the inside.
- Two models of flaps:
 - One with 64 slots on the inside for PM cards.
 - One with 30 slots on the inside for GM cards.
- Removable white labels for titles.



SYSTEM OF HINGES

The system of hinges permits an unlimited extension of PLASTIC-PLANNING.

The flaps, assembled side to side, fold with extreme ease, like an accordeon, and form a very compact binding (10 folded flaps are only $1\frac{3}{8}"$ thick).


Unfolded completely, or partially, according to needs, PLASTIC-PLANNING displays all the cards on the same plan.

To compose a PLASTIC-PLANNING, you must have:

- A pair of cover flaps (hinges on one side only).
Ref. 30700 for PM Cards.
Ref. 30710 for GM Cards.
- As many pairs of intermediate flaps as needed (hinges on both sides).
Ref. 30701 for PM Cards.
Ref. 30711 for GM Cards.

T CARDS

The T Cards, which sizes are indicated hereby, are available in 12 colors: Green, Red Brown, Orange, Yellow, Red, White, Light Brown, Grey, Dark Blue, Light Blue, Violet, Pink.




With PLASTIC-PLANNING VAL-REX you create, yourself, a simple organization exactly adapted to your problems. Its standard elements are so conceived that you are not bound by the narrow frames of pre-set solutions.

Some ideas and examples are available to you upon request, to illustrate its uses; however, many other applications are within the grasp of your imagination and needs.

Distributed by ROBERT P. GILLOTTE CO., INC., Columbia, S. C.

PLANNING VAL-REX



SWING PANELS ON WALL STAND

Using the standard planning elements VAL-REX (strips and supports), you can create, on demand, a planning with swinging panels, answering your needs exactly.


Such a planning condenses in a limited space several linear feet of wall panels. It also safeguards most of the information from inquisitive looks.

COMPOSITION OF VAL-REX PLANNING WITH SWINGING PANELS

I. A wall stand permits accommodation up to 6 double face swinging panels. Three heights are available, corresponding respectively to panels formed with strips with 30, 40 or 50 slots.


II. Double face panels are formed by using two simple VAL-REX panels of the same size. These two panels are assembled back to back by simply using a set of 4 "Omega" (assembling parts), two of which are provided with hinge for installation on wall stand.

On the same wall stand may be mounted panels of different widths, but having the same strip height.



WALL STAND

Formed with two bases and a member to be assembled with 8 screws provided for this purpose.



Height of Panels	References		Total Weight	Height H
	Bases (Pair)	Members		
30 slots	30582	30583	8.4 lb.	32"
40 slots	30582	30584	8.9 lb.	38"
50 slots	30582	30585	9.3 lb.	44"

The maximum overall dimensions in the width and depth are obtained by adding to the dimensions indicated on the above drawing the lengths L of the strip supports being used.

Support Ref.	Index	L (in.)	Supports	Index	L (in.)
30569	5	7	30572	20	25-3/4
30570	10	13-1/4	30573	12	15-3/4
30571	15	19-9/16			


Sketch showing the Mounting of the Boards on the Wall Stand

OMEGA (Assembly parts) ref. 30580

Are supplied in complete set of 4, a complete set being necessary to assemble a panel.

Follow up the mounting instructions for installation, which is schematically indicated here.


Weight of a set of Omega: 9 oz.



COVERS

Are used to protect and give a finished look to the edge of the panel. They are easily installed by placing their ends under the edges of the Omega.

Height of Panels	Cover Ref.	Weight
30 slots	30593	7 oz.
40 slots	30594	8.8 oz.
50 slots	30595	10.6 oz.



Sketch of Installation of Covers

PRODUCTION

VAL-REX

Distribution U.S.A. Robert P. Gillotte Co., Columbia, S. C.